



CAUTION


Tire Size:
Front: 225/40-10 Rear: 225/40-10
Tire pressure:
Front: 210 kpa Rear: 210 kpa
Note: The tire pressure must not exceed 225 kpa

OR

CAUTION

Tire Size:
Front: 225/55-8 Rear: 225/55-8
Tire pressure:
Front: 225 kpa Rear: 225 kpa
Note: The tire pressure must not exceed 250 kpa







CAUTION


Tire Size:
Front: 225/40-10 Rear: 225/40-10
Tire pressure:
Front: 210 kpa Rear: 210 kpa
Note: The tire pressure must not exceed 225 kpa

OR


CAUTION



Tire Size:
Front: 225/55-8 Rear: 225/55-8
Tire pressure:
Front: 225 kpa Rear: 225 kpa
Note: The tire pressure must not exceed 250 kpa







Detail:






Detail:







Top view




POS.	Description
A	Front brake caliper
B	Front brake disc
C	Front brake pump with lever
D	Front brake oil pipe
E	Rear brake caliper
F	Rear brake disc
G	Rear brake pump with lever
H	Rear brake oil pipe




Master cylinder piston area: 78.5 mm^2

Front brake hose:




Brake pipe inner diameter: 3.2; outer diameter: 10

Rear brake hose:




Brake pipe inner diameter: 3.2; outer diameter: 7.5



Manufacturer: Ruian Huating Locomotive parts Co., Ltd.
Type: HL3.0

Rear brake lever (L) Hydraulic reservoir


Piston area: 491 mm^2



New thickness: 3.5mm
Used thickness: 3.0mm

Rear wheel

Manufacturer: Ruian Huating Locomotive Parts Co., Ltd.
Type: HL3.0



Effective brake area: 780 mm²


Manufacturer: Ruian Huating Locomotive parts Co., Ltd.



Type: HMZ-7006


Marking: HMZ-7006

Material: Metal ceramic



Asbestos free









Detail:



Make: QIAOYU
 Type: QY181
 Approval mark: L E4-000214





Detail:

No.	Part Name	No.	Part Name
1	Speed meter	6	Electric motor
2	Headlamp/ Front position lamp	7	Controller
3	Horn	8	Converter
4	Front direction indicator	9	Stop lamp/Rear position lamp Rear registration plate lamp
5	Battery	10	Rear direction indicator